

Like-sign spectra with opening angle cut


Yosuke Watanabe @ WIS
(Tokyo University)

Setup

- Cabanaboy
 - MultiAkibaPool
 - Pool (c: 10, z: 8, r: 1)
 - Pool depth 15
- eID cut
 - $n0 > 2$, $\text{disp} < 5$, $\text{chi2/npe0} < 10$
 - $\text{dep} > -2$, $\sqrt{\text{semcdphi}^2 + \text{semcdz}^2} < 3$, $\text{prob} > 0.01$
- Ghost rejection
 - DC: $|\text{phi1}-\text{phi2}| < 0.05 \text{ && } |\text{zed1}-\text{zed2}| < 0.5$ randomly remove one of the tracks
 - RICH: $|\text{xphi1}-\text{xphi2}| < 0.08 \text{ && } |\text{xz1}-\text{xz2}| < 25$ discard the event
- Normalization: $Mee > 0.7\text{GeV}/c^2$

Outline

- If the slope is due to away-side jet, the correlated pair must have a large opening angle.







1. Like sign spectra without HBD for different opening angle cut
2. Like sign spectra with HBD for different opening angle cut

wo HBD, 40-%

Like sign





0-180 deg (all)



me>0.7
N: 699110
Nf: 0.03879
err: 0.00005

me>0.7
N: 735441
Nf: 0.0386559
err: 0.00005



0-160



me>0.7
N: 574807
Nf: 0.03869
err: 0.00005

me>0.7
N: 600556
Nf: 0.03850
err: 0.00005




0-140



me>0.7
N: 297285
Nf: 0.038311
err: 0.00007

me>0.7
N: 309264
Nf: 0.0381067
err: 0.00007





0-120



me>0.7
N: 133275
Nf: 0.03786
err: 0.0001

me>0.7
N: 134855
Nf: 0.03769
err: 0.0001





0-100



me>0.7
N: 56848
Nf: 0.03764
err: 0.00016

me>0.7
N: 57479
Nf: 0.03756
err: 0.00016

0-80







me>0.7
N: 23534
Nf: 0.03805
err: 0.00025

me>0.7
N: 23918
Nf: 0.03795
err: 0.00025

w HBD rej 10, 40-%

Like sign





0-180



me>0.7
N: 110542
Nf: 0.03899
err: 0.00012

me>0.7
N: 116819
Nf: 0.03919
err: 0.00012





0-160



me>0.7
N: 87999
Nf: 0.03879
err: 0.00013

me>0.7
N: 92996
Nf: 0.03909
err: 0.00013





0-140



me>0.7
N: 45202
Nf: 0.03839
err: 0.00018

me>0.7
N: 47917
Nf: 0.03878
err: 0.00018





0-120



me>0.7
N: 19782
Nf: 0.03794
err: 0.00027

me>0.7
N: 20628
Nf: 0.03834
err: 0.00027

0-100



me>0.7
N: 8399
Nf: 0.03690
err: 0.0004

me>0.7
N: 9039
Nf: 0.03854
err: 0.0004

Summary






- By using opening angle cut, the correlation from away-side jet can be avoided. But it costs statistics.

backup

w HBD rej 10, 40-%


Unlike sign

opening angle cut 1



0-180






nf: 0.03890



0-160


nf: 0.03875

opening angle cut 2



0-140

nf: 0.03840



0-120

nf: 0.03796